


PRODUCT-DETAILS

**M35/26.F**

M35/26.F



**General Information**

Extended Product Type	M35/26.F
Product ID	1SNA115141R1000
EAN	3472591151411
Catalog Description	M35/26.F
Long Description	- Compact one stud terminal block, - Lug mounting in accordance with NF C 20-130 and DIN 46234, - Various marking options, - Rail or base mounting.

**Ordering**

Color	Grey
Minimum Order Quantity	10 piece
Customs Tariff Number	85369010

**Popular Downloads**

Data Sheet, Technical Information	1SNC160020C0201
Instructions and Manuals	1SNC160020C0201

**Dimensions**

Product Net Width	26 mm
-------------------	-------

Product Net Height	66 mm
Product Net Depth / Length	45 mm
Product Net Weight	40 g

## Technical

Rated Cross-Section	25 mm <sup>2</sup>
Spacing	26 mm
Connection Type	Stud
Function	Feed-through
Number of Levels	1
Connecting Capacity Main Circuit	Stud / Flexible 1x 2.5 ... 25 mm <sup>2</sup> Stud / Rigid 1x 2.5 ... 50 mm <sup>2</sup>
Rated Current (I <sub>n</sub> )	Main Circuit 101 A
Rated Short-time Withstand Current (I <sub>cw</sub> )	for 1 s 8000 A
Rated Voltage (U <sub>r</sub> )	1000 V
Rated Impulse Withstand Voltage (U <sub>imp</sub> )	8 kV
Dielectric Test Voltage	3500 V
Pollution Degree	3
Insulation Material	Polyamide
Mounting on DIN Rail	G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715
Tightening Torque	Cable Lug 9 N·m

## Technical UL/CSA

Maximum Operating Voltage UL/CSA	Main Circuit 600 V
Connecting Capacity Main Circuit UL/CSA	Stud / Rigid 1x 10 ... 2 AWG
Connecting Capacity UL/CSA	Stranded 2 AWG
Flammability According to UL94	V-2

## Environmental

Ambient Air Temperature	Operation -55 ... +110 °C Storage -55 ... +110 °C
RoHS Status	Following EU Directive 2011/65/EU

## Certificates and Declarations (Document Number)

cUL Certificate	1SND165000A0203
Declaration of Conformity - CE	1SND225011U1000
EAC Certificate	1SND161009A1100
Environmental Information	1SND220022E1002
Instructions and Manuals	1SNC160020C0201
RoHS Information	1SND230022F0204

---

**Classifications**

---

Object Classification Code		X
ETIM 4	EC000897 - Feed-through terminal block	
ETIM 5	EC000897 - Feed-through terminal block	
ETIM 6	EC000897 - Feed-through terminal block	

---

---

**Container Information**

---

Package Level 1 Units	10 piece
Package Level 1 Width	120 mm
Package Level 1 Depth / Length	130 mm
Package Level 1 Height	57 mm
Package Level 1 Gross Weight	0.4 kg
Package Level 1 EAN	3472591151411
Package Level 2 Units	300 piece
Package Level 2 Gross Weight	12 kg
Package Level 3 Units	7200 piece

---

---

**Categories**

---

Low Voltage Products and Systems → Connection Devices → Terminal Blocks → Solution Series

