

PRODUCT-DETAILS

M4/8.SF

M4/8.SF Screw Clamp Terminal Blocks - For 5 x 20 and 5 x 25 fuses - Grey



General Information

Extended Product Type	M4/8.SF
Product ID	1SNA115657R2500
EAN	3472591156577
Catalog Description	M4/8.SF Screw Clamp Terminal Blocks - For 5 x 20 and 5 x 25 fuses - Grey
Long Description	Protect your circuits with 5x20 and 5x25 fuse terminal blocks (fuse not supplied with terminal blocks).

Ordering

Color	Grey
Minimum Order Quantity	50 piece
Customs Tariff Number	85369010

Popular Downloads

Data Sheet, Technical Information	1SNC160019C0202
Instructions and Manuals	1SNC160019C0202

Dimensions

Product Net Width	8 mm
-------------------	------

Product Net Height	56.5 mm
Product Net Depth / Length	41 mm
Product Net Weight	14 g

Technical

Rated Cross-Section	4 mm ²
Spacing	8 mm
Connection Type	Screw Clamp
Function	Fuse
Number of Levels	1
Connecting Capacity Main Circuit	Screw Clamp / Flexible 1x 0.5 ... 4 mm ² Screw Clamp / Rigid 1x 0.5 ... 6 mm ²
Gauge Type	A4
Rated Current (I _n)	Main Circuit 6.3 A
Rated Voltage (U _r)	630 V
Rated Impulse Withstand Voltage (U _{imp})	8000 V
Pollution Degree	3
Degree of Protection	acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20
Insulation Material	Polyamide
Mounting on DIN Rail	G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715
Wire Stripping Length	9.5 mm
Recommended Screw Driver	4 mm
Tightening Torque	acc. IEC 60947-1 0.5 N·m Manufacturer 0.8 N·m

Technical UL/CSA

Maximum Operating Voltage UL/CSA	Main Circuit 600 V
Connecting Capacity Main Circuit UL/CSA	Screw Clamp / Rigid 1x 22 ... 12 AWG
Connecting Capacity UL/CSA	Screw Clamp / Rigid 22 ... 12 AWG Stranded 12 AWG
Flammability According to UL94	V-0

Environmental

Ambient Air Temperature	Operation -55 ... +110 °C Storage -55 ... +110 °C
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Certificates and Declarations (Document Number)

CSA Certificate	1SND161066A0201
cUL Certificate	1SND161002A0202
Declaration of Conformity - CE	1SND225016U1000
EAC Certificate	1SND161009A1100
Environmental Information	1SND220021E1002
Instructions and	1SNC160019C0202

Manuals

RMRS Certificate	1SND161007A1101
RoHS Information	1SND230023F0208

Classifications

Object Classification Code	X
ETIM 4	EC000899 - Fuse terminal block
ETIM 5	EC000899 - Fuse terminal block
ETIM 6	EC000899 - Fuse terminal block

Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	101 mm
Package Level 1 Depth / Length	265 mm
Package Level 1 Height	47 mm
Package Level 1 Gross Weight	0.7 kg
Package Level 1 EAN	3472591156577
Package Level 2 Units	450 piece
Package Level 2 Width	300 mm
Package Level 2 Depth / Length	500 mm
Package Level 2 Height	150 mm
Package Level 2 Gross Weight	6.3 kg
Package Level 3 Units	21600 piece

Categories

Low Voltage Products and Systems → Connection Devices → Terminal Blocks → SNA Series

