



---

**PRODUCT-DETAILS**

# AL16/A/U/BL

## COUPLER - IP66/ NC16 COND BLK



---

**General Information**

Extended Product Type	AL16/A/U/BL
Product ID	7TCA296000R0332
EAN	5020963051142
Catalog Description	COUPLER - IP66/ NC16 COND BLK
Long Description	Straight PA66 Body Swivel Coupler, Nominal Conduit Size 16mm, Polyamide (Nylon) 66 and Aluminium, Black

---

**Ordering**

EAN	5020963051142
UPC	786210251172
Country of Origin	United Kingdom (GB)
Selling Unit of Measure	each

---

**Dimensions**

Product Net Depth / Length	83.6 mm
----------------------------	---------

## Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	7.87 in 200 mm
Package Level 1 Height	9.84 in 250 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 2 Units	250 piece
Package Level 2 Width	12.99 in 330 mm
Package Level 2 Height	7.48 in 190 mm
Package Level 2 Depth / Length	11.41 in 290 mm

## Additional Information

Application	For Coupling Two Corrugated Flexible Conduits
Brand / Label	Adaptaflex
Color	Black
Effective Date	20110803
Material	Polyamide/Nylon 6.6 and Aluminium
Nominal Size	NC 16 mm
Outside Diameter	23.7 mm
Product Name	ADAPTAFLEX
Product Type	Straight Body Swivel Coupler
RoHS Date	9AKK107992A8994
Special Functions	High Impact Resistance

## Certificates and Declarations

Data Sheet, Technical Information	AL16/A/U/BL
Declaration of Conformity - CE	9AKK107492A9618

## Classifications

ETIM 6	EC001172 - Coupler for corrugated plastic hoses
ETIM 7	EC001172 - Coupler for corrugated plastic hoses
ETIM 8	EC001172 - Coupler for corrugated plastic hoses
UNSPSC	39131707
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5548 >> Electrical conduit coupling

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

