



"Padlock for PanelSeT CRN enclosure. 2 diameter 7.5 and 10mm."

Local distributor code: 400815374

NSYCBCCRN

EAN Code: 3606480180842

Main

Range	PanelSeT
Product or component type	Padlocking device

Complementary

Accessory / separate part category	Locking accessory	
accessory / separate part type	Lock	
Device application	Multi-purpose	
Mounting support	Direct mounting on door	
Range compatibility	PanelSeT PanelSeT CRN	
Device composition	1 cam 1 double padlock	
Quantity per set	Set of 1	
Lock type	Padlockable	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.000 cm
Package 1 Width	4.500 cm
Package 1 Length	8.000 cm
Package 1 Weight	134.000 g
Unit Type of Package 2	S02
Number of Units in Package 2	50
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	6.960 kg
Unit Type of Package 3	P12
Number of Units in Package 3	800
Package 3 Height	45.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm

Package 3 Weight

123.360 kg

Contractual warranty

Warranty

18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations