

PRODUCT-DETAILS

BVND-M508GT

COND FTNG STR M50 NW48 IP66 CSA BLK



General Information

Extended Product Type	BVND-M508GT
Product ID	7TAA292150R0160
EAN	7630030213762
Catalog Description	COND FTNG STR M50 NW48 IP66 CSA BLK
Long Description	PMAFIX Straight Black Connector with Universal Safety Clip, Material - Polyamide 6, Thread Type - Metric, Thread Size -M50x1.5, Conduit Size NW - 48

Ordering

EAN	7630030213762
Customs Tariff Number	3917400090

Dimensions

Product Net Weight	.15 lb 68.027 g
--------------------	--------------------

Container Information

Package Level 1 Units	10 piece
Package Level 2 Units	40 piece
Package Level 2 Width	11.811 in 300 mm

Package Level 2 Height	7.874 in 200 mm
Package Level 2 Depth / Length	15.748 in 400 mm

Additional Information

Application	For Cable Protection Systems In a Wide Range of Applications
Brand / Label	PMA
Color	Black
Insulation Class	IP66
Material	Polyamide 6
Number of Batteries	0
Product Name	PLASTIC FITTING FOR CONDUIT
Product Type	Connectors-Straight
Size	NW48 ; M50 Thread
Standards	CSA
Temperature Range	-40 to 105 °C Short Term to 160 °C
UPC	786209951229

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK107046A1293
Declaration of Conformity - CE	9AKK107680A0674
Instructions and Manuals	BVND-M508GT

Classifications

ETIM 6	EC001176 - Screw connection for corrugated plastic hose
ETIM 7	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4441 >> Electrical fittings

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

